



1-4-11

INDEX MAPS.

T.11.N R.2W 2nd Mer.



T.12.N R.2W 2nd Mer.



The figures on the lines refer to the page.

Township N. 11. North of Range N. 2 West of the 2nd Mer. Ind.

Ch. lks.

South Boundary.

2.9

West	On a Random line on the South Boundary of Sec. 36, T. N. 11 N. R. N. 27. 2 nd Mer. Indiana
3.00	To a Brook 30 lks wide; Course N.W.
22.50	" " Brook 10 " " " N.
40.00	Set a temporary post for the cor. of $\frac{1}{4}$ Sec.
80.00	Set a temporary post for the cor. of Sec. 35 & 36 T. N. 11 N. R. N. 27. Land hilly and middling good for farming; Timber Beech, Sugar, Ash, and Hickory
West	On a Random line on the South Boundary of Sec. 35 T. N. 11. N. R. N. 27. 2 nd Mer. (Ind.)
40.00	Set a temporary post for the cor. of $\frac{1}{4}$ Sec.
80.00	Set a temp ^y post for the cor. of Sec. 34 & 35 T. N. 11. N. R. N. 27. Land rolling rich and good for farming. Timber Beech, Sugar, Poplar, Ash & Walnut
Saturday May 21 st 1819	
West	On a Random line on the South Boundary of Sec. 34 T. N. 11. N. R. N. 27. 2 nd Mer. Ind.
8.00	To a Brook 6 lks wide, Course N.W.
40.00	Set a temp ^y post for the cor. of $\frac{1}{4}$ Sec.
70.00	To a Brook 8 lks wide; Course N.W.
79.00	" " " 4 " " " "
80.00	Set a temp ^y post for the cor. of Sec. 33 & 34, T. N. 11. N. R. N. 27. 2 nd Mer. Ind. East $\frac{1}{2}$ mile same as on the last mile; West $\frac{1}{2}$ rather broken; Timber same, rich soil.
West	On a Random line On the South Boundary of Sec. 33 T. N. 11. N. R. N. 27.
40.00	Set a temp ^y post for the cor. of $\frac{1}{4}$ Sec.
47.61	Intersected the N.E. Boundary line of Harvins

T. N. 11. N. R. N. 2 W. 2nd Mer. Ind^o

Purchase 11.85 links South of the Old Cor. post
Land similar to the last mile. East part rather
broken.

East	On a true line, on the South Boundary of Sec. 33. T. N. 11. N. R. N. 2 W. Var. 5° 07'
2.00	To a Spring branch; Course N.E.
7.61	Set the 1/2 mile post for the cor. of the 1/4 Sec. on the true line from which a Beck 18 in. dia. bears N 87° 38' W. 180 dist; to do 18 " " " S 24° 11' 26 " "
17.00	To a Brook 10 links wide; Course N.
47.61	Set a post for the cor. of Sec. 33. & 34 T. N. 11 N. R. 2 W. from which a Beck 6 in. dia. bears N 65° 19' W. 190 dist and a do 10 " " " N 4 E. 29 " "

East	On a true line on the South Boundary of Sec. 34. T. N. 11. N. R. N. 2 W.
40.00	Set a post for the cor. of the 1/4 Sec. on the true line from which a Beck 37 in. dia. bears S 36° 11' 33" W. 330 dist and a Sugar 10 " " " N 31 E. 27 " "
80.00	Set the temporary post on the true line for the cor. of Sec. 34. & 35. T. N. 11 N. R. N. 2 W. from which a Oak 30 in. dia. bears N 74° 11' 16" W. 160 links dist; and a Poplar 36 " " " S 85 E. 29 " "

East	On a true line On the South Boundary of Sec. 35. T. N. 11. N. R. N. 2 W.
80.00	To a Brook 10 links wide; Course N.W.
40.00	Set the temporary 1/2 mile post on the true line for the Cor. to the 1/4 Sec. from which a Beck 12 in. dia. bears S 32 E. 21 links dist; to do 8 " " " N 70° 11' 18 " "

395

T. N^o 11. N.R. N^o 27. 2nd Mer. Ind.

80.00	Set the temporary post on the true line for the cor. to sec. 35 & 36. T. N ^o 11. N.R. N ^o 27. From which a Beech 14 in. dia. bears N 39 W. 28 links dist; & a do 10 " " " S 82 E. 31 " "
East	On a true line on the South Boundary of sec. 36. T. N ^o 11. N.R. N ^o 27.
40.00	Set the temporary post on the true line for the cor. to the $\frac{1}{4}$ sec. from which a — 18 in. dia. bears N 85 W. 19 links dist; & Wicks 9 " " " S 69 E. 27 " "
80.00	Intersected the N & S Range line between Ranges 1 & 2 4.89 ch. North of the temporary 6 mile post and set post for the cor. of sec. 1. E. 31 & 36. T. 10 & 11. N. R. 1 & 2 West from which a Beech 12 in. dia. bears S 76 E. 25 links dist; & a do 12 " " " S 59 W. 55. " "
	Surveyed by William Harris L.S.
East	On a true line on the South Boundary of sec. 31. T. N ^o 11. N.R. N ^o 27. B 176.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Walnut 20 in. dia. bears S 62 E. 21 links dist; & a Hackberry 14 " " " N 41 W. 47 " "
80.00	Set a post for the cor. of sec. 31 & 32. T. N ^o 11. N.R. N ^o 27. from which a Sugar. 12 in. dia. bears S 62 E. 19 links dist; and a Walnut 16 " " " N 69 W. 27 " " Sound River Bottom.
East	On a true line on the South Boundary of sec. 32. T. N ^o 11. N.R. N ^o 27.

T. N^o 11. N. R. N^o 2 W. 2nd Mer. Ind.^a

40.00	Set a post for the cor. of the 1/4 sec. from which a Hackberry 14 in. dia bears S 61 W. 17 links dist; and a W. Oak, 6 " " " S 49 E. 41. " "
49.54	To White River corner S.E. The river was high and we saw no farther [and it seems you set no post and took no bearings]
Surveyed by James Holmes.	
East	On the South Boundary of sec. 32, T. N ^o 11. N. R. N ^o 2 W.
40.00	To the Old Post. R. 39.
49.54	To the White River, Left Bank. a Sycamore 18 in dia stands for the corner.
80.00	Set a post for the cor. of sec. 32, 33. T. N ^o 11. N. R. 2 W. No bearings
East	On the South Boundary of sec. 33, T. N ^o 11. N. R. 2 W.
29.27	Intersected the N.E. Boundary Line of Harrison's Purchase and set a post for the cor. of sec. 4 & 33, T. 10. N. 11. N. R. 2 W. from which a Tree 10 in. dia. bears S 61 W. 19 links dist; & a do 14 " " " N 43 W. 32 " " Land good for farming.
Surveyed by William Harris. D.S.	
East Boundary	
North	On the East Boundary of sec. 36, T. N ^o 11. N. R. N ^o 2 W. 2 nd Mer. Indiana Var 6.30' Q 12
13.00	To a Brook 8 links wide; corner S.W.
40.00	Set a post for the cor. of 1/4 sec. from which a Hick. 24 in. dia. bears North 26 lks dist; & a Tree 18 " " " S. 28 W. 30 " "
80.00	Set a post for the cor. of sec. 25 & 36, T. 10 N. R. 2 W.

T. N. 11. N. R. N. 2 W. 2nd Mer. Ind.:

from which a W. Oak 12 in. dia. bears S47 E. 9 lks dist;
and a W. Oak 30 " " " N34 E. 19 " "
Land very broken and hilly, Soil rich. Timber
Beech, Sugar, Oak, and Hickory.

North	On the East Boundary of Sec. 25. T. N. 11. N. R. 2 W.
40.00	Set a half mile post for the cor. to $\frac{1}{4}$ Sec. from which a W. Oak 12 in. dia bears S28 E. 29 links dist; and Oak 18 " " " S87 W. 24 " "
41.00	To the Left Bank of White River and set a post from which a W. Oak 30 in. dia. bears N87 E. 3 lks. dist; and a Do 5 " " " S55 W. 21. "
48.00	To the Right Bank of White River and set a post from which a Maple 9 in. dia. bears S44 W 9 links dist; to Box Elder 6 " " " S69 E 18 " "
80.00	Set a post for the cor. of Sec. 24. & 25 from which a Locust 10 in dia bears S50 W. 15 links dist; and Oak 12 " " " N. 49 E. 24 " " Land on this mile river bottom 1 st rate Soil. over flats

North	On the East Boundary of Sec. 24. T. N. 11. N. R. 2 W.
11.33	To a Maple on the Right Bank of White River which stands for the cor.
32.08	To a Maple 12 in. dia. which stands for the cor. on the Right Bank of White River.
40.00	Set a post for the cor. of $\frac{1}{4}$ Sec. from which a Buckeye 10 in. dia bears S53 E. 12 links dist; to Do 10 " " " S87 W. 20 " "
67.50	To a Bayou 50 links wide; Course W.
80.00	Set a post for the cor. of Sec. 13. & 24. from which a Hickory 9 in. dia. bears S38 E. 7 links dist; to Do 12 " " " N23 W. 31 " "

T. N^o 11. N. R. N^o 2. W. 2nd Mer. Ind.

Sand soil and timber same as on the last mile.

North	On the East Boundary of Sec. 13. T. N ^o 11. N. R. N ^o 2 W.
40.00	Set a half mile post for the cor. to the $\frac{1}{4}$ Sec. from which a Beech 15 in. dia. bears N 23 W. 19 miles dist; and a Beech 8 " " " S 56 E. 16 " "
80.00	Set a post for the cor. to Sec. 12 & 13. T. N ^o 11. N. R. 2 W. From which a Beech 18 in. dia. bears S 19 E. 13. the dist; and a W. Ash 24 " " " N 23 W. 10 " " Sands all bottom; South $\frac{1}{2}$ rather wet; the N $\frac{1}{2}$ R. rate

North	On the East Boundary of Sec. N ^o 12 T. N ^o 11. N. R. N ^o 2 W.
40.00	Set a post for the cor. of the $\frac{1}{4}$ Sec. from which a Beech 24 in. dia. bears N 75 W. 27 miles dist; and a W. Ash 50 " " " S 33 E. 8 " "
59.50 (19.5?)	To a Brook 20 miles wide; course S. W.
62.00	To a Brook 20 miles wide; course S. E.
80.00	Set a post for the cor. of Sec. 1 & 12 from which a Beech 12 in. dia. bears N 75 W. 30 miles dist; & a Maple 30 " " " N 31 E. 23 " " Sands 2 nd rate bottom; part rather wet; Timber Beech, Hickory, Elm, Ash Maple &c

North	On the East Boundary of Sec. 1. T. N ^o 11. N. R. N ^o 2 W.
40.00	Set a post for the cor. of the $\frac{1}{4}$ Sec. from which a Beech 9 in. dia. bears S 69 W. 32 miles dist; and a Do 9 " " " S 48 E. 33 " "
80.00	Set a temporary post for the cor. of Sec. 1. 6. 31 & 36. Towns 11. 11. 12 & 13 N. R. 1 & 2 W. Sands South $\frac{1}{2}$ similar to the last mile; North $\frac{1}{2}$ Wet, and Broken Timber Oak, Hickory and Beech

North Boundary

T. N. 11. N. R. N. 2 W. 2nd Mer. Ind.²

80.00	Set a temporary post for the cor. of sec. 32 & 33. T. N. 12. N. R. N. 2 W. Land very rich; many snick holes; Timber Beech, Sugar, Walnut, & Poplar. Land good for farming
West	Between Sec. 5 & 32 on the South Boundary of 32 T. N. 12. N. R. N. 2 W. Omitted taking notes.
West	On a Random line on the South Boundary of Sec. 31. T. N. 12. N. R. N. 2 W.
40.00	Set a temporary post for the cor. of $\frac{1}{4}$ sec.
74.16	Intersected the N. & S. Range Line 8.77 South of the temporary post set for the cor. of T. N. 11. 12. & 12. 12. R. 2 & 3 West. Land and soil same. East $\frac{1}{2}$ Broken with snick holes; West $\frac{1}{2}$ middling good for farming
East	On a true line on the South Boundary of Sec. 31. T. N. 12. N. R. N. 2 W. a 38
34.00	Set the temporary post on the true line for the cor. to $\frac{1}{4}$ sec from which a W. Ash 9 in. dia bears S 80 E 7 links dist; and a W. Ash 30 in. dia bears S 40 W. 40 links dist;
74.00	Set the temporary post on the true line for the cor. off Sec. 31 & 32. T. N. 12. N. R. N. 2 W. from which a Beech 9 in. dia. bears N 41 W. 38 links dist; and a do 18 " " " S 47 E. 45 " "
East	On a true line, on the South Boundary of Sec. 32. T. N. 12. N. R. N. 2 W.
40.00	Set the temporary post on the true line for the cor. to the $\frac{1}{4}$. sec. from which a Beech 18 in. dia. bears N 75 W. 14 links dist; and a Beech 18 in. dia. bears N 70 E 20 links dist;
80.00	Set a post (temporary) on the true line for the cor. to Sec. 32 & 33. T. N. 12. N. R. N. 2 W. from which a

	Buck 14 in. dia. bears S60 E. 27 links dist; and a B Walnut 9 " " " N20 W. 53 " "
East	On a true line on the South Boundary of Sec. 33. T. N. 12. N.R. N. 27.
40.00	Set the temporary post on the true line for the cor. to the 1/4 Sec. from which a Sugar 24 in. dia. bears N29 W. 17 links dist; and a do 10 " " " S33 E. 27 " "
80.00	Set a post (temporary) on the true line for the cor. of Sec. 33. & 34. T. N. 12. N.R. N. 27. from which a Buck 24 in. dia. bears N64 E. 12 links dist; and a B Walnut 12 " " " N71 W. 31 " "
East	On a true line on the South Boundary of Sec. 34. T. N. 12. N.R. N. 27.
40.00	Set the temp. post on the true line for the cor. to the 1/4 Sec. from which a Buck 24 in. dia. bears N81 W. 23 links dist; and a B Walnut 9 " " " S81 E. 39 " "
80.00	Set a post (temporary) on the true line for the cor. to Sec. 34. & 35. T. N. 12. N.R. N. 27. from which a Hickory 24 in. dia. bears N44 W. 9 links dist; and a Buck 12 " " " S64 E. 16 " "
East	On a true line on the South Boundary of Sec. 35. T. N. 12. N.R. N. 27. 2nd Mer.
40.00	Set the half mile post. (temporary) on the true line for the cor. to the 1/4 Sec. from which a Sugar 12 in. dia. bears S75 E. 11 links dist; and a Buck 18 " " " N65 E. 21 " "
80.00	Set the temporary post on the true line for the cor. to the 1/4 Sec. 35 & 36. T. N. 12. N.R. N. 27. from which a

T. N^o 11. N.R. N^o 3 W. 2nd Mer. Ind^a

	Buck 18 in. dia. bears S 64 E. 28 links dist; and a Ho 18 " " " N 35 W. 14 " "
East	On a true line on the South Boundary of Sec. 36. T. N ^o 12. N.R. N ^o 2 W.
40.00	Set the tempo. 1/4 mile post on the true line for the cor. to the 1/4 Sec. from which a Buck 10 in. dia. bears S 72 W. 21 links dist; and an Elm 5 " " " N 38 E. 50 " "
80.00	Intersected the N.E. Range line at the post set for the cor. of Sec. 1. 6. 31. 36. T. N ^o 11. 11. & 12. 12. N ^o 1 & 2 W. and set a post from which a Hackberry 18 in. dia. bears N 66 E. 24 links dist; and a Swamp Oak 30 " " " S 46 W. 41 " " Surveyed by William Harris & S.
West Boundary B. 175	
North	On the East Boundary of Sec. 36. T. N ^o 11. N.R. N ^o 3 W.
21.00	To a Brook 50 links wide; Course S.W.
40.00	Set a post for the cor. to the 1/4 Sec. from which a Hackberry 7 in. dia. bears S 1 E. 31 links dist; and an Elm 14 " " " S 49 W. 29 " "
80.00	Set a post for the cor. of Sec. 25 & 36. T. N ^o 11. N.R. N ^o 3 W. from which a Walnut 20 in. dia. bears S 39 W. 20 links dist; and a W. Oak 30 " " " S 77 E. 1 " " Sand rich bottom, Timber Sugar, Ash, Walnut &c
North	On the East Boundary of Sec. 25. T. N ^o 11. N.R. N ^o 3 W.
40.00	Set a post for the cor. of the 1/4 Sec. from which a Eng. 14 in. dia. bears S 81 E. 40 links dist; and a Ho 16 " " " N 86 W. 12 " "
59.22	Intersected the N.E. Boundary of Harris's Purchase and set a post for the cor. of Sec. 25. T. N ^o 11. N.R. N ^o 3 W. from which

Beck 14 in. dia. bears S 34 N. 40 links dist; and a
do 20 " " " S 53 E. 30 " "

Surveyed by
James Holmes, D.S.

North Continued the East Boundary of Sec. 25. T. N. 11. N. R.
N. 3 W. 2nd Mer. N. 6. 20' Q. 25

20.28 Set a post for the cor. of sec. 24 & 25, T. N. 11. N. R. 3 W. from
which a Sugar 14 in dia stands for the corner.
Land rich and good for farming;

North On the East Boundary of Sec. 24, T. N. 11. N. R. N. 3 W.

40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
Beck 6 in dia bears S 3 E. 14 links dist; and a
do 30 " " " S 88 W. 33 " "

80.00 Set a post for the cor. of sec. 13 & 24 T. N. 11. N. R. 3 W. from
which a Sugar 11 in dia bears N 79 E. 17 links dist; to
Sugar 30 " " " S 2 W. 34 " "
Land rolling and soil rich; excellent farming land
Timber Sugar, Beck, Walnut, Ash, Elm, &c.

North On the East Boundary of sec. 13 T. N. 11. N. R. N. 3 W.

19.00 To a Brook 12 ties wide; corner N.

40.00 Set a post for the cor. to the $\frac{1}{4}$ sec. from which a
Beck - in. dia. bears S 12 E. 13 links dist; and
do 12 " " " N 65 E. 46 " "

80.00 Set a post for the cor. of sec. 12 & 13 from which a
Beck 27 in. dia bears S 21 E. 30 links dist; and a
do 18 " " " N 4 E. 30 " "

Land soil and timber same as on the last mile

North On the East Boundary of sec. 12 T. N. 11. N. R. N. 3 W.

40.00 Set a post for the cor. to the $\frac{1}{4}$ sec. from which a

T. N. 11. N. R. No. 2 W. 2nd Mer. Ind.^a

Sugar 27 in. dia bears S 31 E. 11 links dist; and a
 W. Walnut 8, " " N 67 W. 5 " "
 73.50 To a small Brook - links wide; Course E.
 80.00 Set a post for the cor. of Sec. 1 & 12. T. 11. N. R. 3 W. from
 which a Beech 20 in dia. bears N 10. W. 25 lks dist
 and a Do 27 " " " S E. 18 " "
 Sand & soil and timber same as on the last mile.

North On the East Boundary of Sec. 1. T. N. 11. N. R. 3 W.
 40.00 Set a post for the cor. to the $\frac{1}{4}$ sec. from which a
 Beech 24 in dia bears S 33 E. 23 links dist; and a
 Do 24, " " " S 54 W. 10 " "
 71.23 To the Township corner.
 Sand similar to the last mile.

Surveyed by

William Harris & S.

Subdivisions

East Between Sec. 30. & 31. T. N. 11. N. R. No. 2 W.
 12.50 To a Brook 8 links wide; Course S.
 40.00 Set a post for the cor. to the $\frac{1}{4}$ sec. from which a
 Sugar 12 in. dia. bears S 30 E. 9 links dist; & a
 Do. 12, " " " N 37 W. 9 " "
 79.76 Intersected the N.E. Boundary line of Harrison's
 Purchase and set a post for the cor. of fractional
 sec. 30. & 31. from which a
 Sugar 8 in. dia bears S 29 W. 16 links dist; and a
 Do. 10, " " " N 6 E. 17 " "
 Sand rolling or rather broken with sink holes, very rich
 soil: Timber; Beech, Sugar, Walnut Poplar; very good
 farming lands;

North Between Sec. 31. & 32 T. N. 11. N. R. No. 2 W.

7.00	To a small Spring branch corner S.W.
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Hackberry 12 in. dia bears S 21 W. 7 links dist; and a Buck 9 " " " N 6 E. 10 " "
79.20	Intersects the N.E. Boundary Line of Harrison's Purchase and set a post for the cor. of Grad. Section 31. & 32. from which a Sugar 12 in. dia bears S 42 W. 23 links dist; and a Do 12 " " " N 5 E. 9 " " " Land 1 st rate soil and good for farming
Tract line between 32. & 33 mounting	
North	Between Grad. Sec. 31. & 32. T. N ^o . 11. N.R. N ^o . 277.
79.20	Old survey; extended the line from the N.E. Boundary of Harrison's Purchase.
80.00	Set a post for the cor. of Sec. 29. 30. 31. & 32. from which a Buck 14 in. dia. bears N 61 E. 34 links dist; and a Sugar 12 " " " N 47 W. 22 " " Land 2 nd rate; timber Sugar and Spice.
West	On a Random line between Sec. 30. & 31. T. N ^o . 11. N.R. N ^o . 277.
0.24	Intersected the N. Boundary at a post. Land 2 nd rate.
North	Between Sec. 29. & 30. T. N ^o . 11. N.R. N ^o . 277.
19.06	To a Buck 18 in. dia. stands in the line.
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which an Elm 5 in. dia. bears N 69 W. 12 links dist; and a

T. N. 11. N. R. N. 2 W. 2nd. Mer. Ind.

	Ash 14 in. dia bears N 72 E. 10 links dist;
60.54	To a Beech 17 in. dia. Stands in the line.
64.75	To a Brook 46 links wide; Course S. E.
69.00	Cut a bend of same Stream
80.00	Set a post for the cor. of sec. 19. 20. 29. & 30 from which a Beech 24 in. dia bears N 20 E. 35 links dist; and an Elm 30 " " " S 80 W. 28 " "
	Land part level and part broken. 2nd rate. Timber Sugar, Walnut, Beech, Hickory, Ash, &c. undergrowth Spice, &c.
West	On a Random line between Sec. 19. & 30. T. N. 11. N. R. N. 2 W.
7.35	To a Brook. 35 links wide; Course S. E.
40.00	Set a temporary post for the cor. to the 1/4 sec.
79.78	Intersected the West Boundary 76 links N of the post set for the cor. of sec. 24 & 25. T. N. 11. N. R. N. 3 W. Land broken and 2nd rate; Timber, Sugar, Elm. Locust, Ash, Beech &c. Undergrowth Spice
East	On a true line between Sec. 19. & 30. T. N. 11. N. R. N. 2 W.
15.70	To a Sugar 18 in. dia Stands in the line.
39.89	Set the temporary post at the average distance on the true line for the cor. to the 1/4 sec. from which an Ash 46 in. dia bears S 32 W. 9 links dist; and a Coffea tree 8 " " " N 45 W. 25 " "
57.63	To a Sugar. 8 in. dia. Stands in the line
79.78	To the post set for the cor. to sec. 19. 20. 29. & 30.
North	Between Sec. 19. & 20. T. N. 11. N. R. N. 2 W.
21.78	To a Beech. 18 in. dia Stands in the line
40.00	Set a post for the cor. to 1/4 sec. from which a Sugar 8 in. dia bears N 34 W. 6 links dist; and a Walnut 12 " " " N. 19 E. 11 " "

42.50	To a Stream 20 links wide; Course S. S. W.
57.50	To a Brook 10 " " " S. E.
57.90	To an Elm 14 in dia. Stands in the line
80.00	Set a post for the cor. of sec ^s 17, 18, 19, & 20. From which a Bech. 12 in dia. bears S 68 W. 8 links dist; and to Sugar 14 " " " S 61 E. 10 " " Sands broken 2 nd rate; Timber Bech, Sugar & undergrowth Spice Brins etc.
West	On a Random line between Sec ^s 18 & 19 T. N ^o 11. N. R. N ^o 27.
5.75	To a Brook 6 links wide; Course S. E.
40.00	Set a temporary post for the cor. to the 1/4 sec.
80.06	Intersected the West Boundary 15 links South of the post set for the cor. of sec ^s 13 & 14 T. N ^o 11. N. R. N ^o 37. Sands broken 2 nd rate; Timber Sugar Walnut, Ash Bech, Elm & underg th Spire.
East	On the true line between Sec ^s 18 & 19 T. N ^o 11. N. R. N ^o 27.
21.06	To a Poplar 56 in dia. Stands in the line.
40.03	At the temporary post at the average distance on the true line for the cor. to the 1/4 sec. from which a Walnut 10 in dia bears N 63 E. 9 links distant to Hack 16 " " " S 38 E. 18 " "
60.91	To an Elm 10 in dia Stands in the line.
80.06	To the post set for the cor. to sec ^s 17, 18, 19, & 20.
North	Between Sec ^s 17 & 18 in T. N ^o 11. N. R. N ^o 27.
20.32	To a Bech 22 in dia Stands in the line
40.00	Set a post for the cor. to the 1/4 sec. from which a Bech 6 in dia bears N 16 W. 14 links dist; and to Do 14 " " " S 44 E. 18 " "
66.05	To a Sugar 24 in dia Stands in the line
80.00	Set a post for the cor. to sec ^s 7, 8, 17, & 18 from which a

T. N. 11. N. R. N. 27. 2^d Mer Ind.

	Sugar 10 in. dia. bears N43^W. 28 links dist. and a Beech 20 " " " S25^E. 45 " " Lands broken & 2^d rate; Timber Sugar, Beech, Walnut Ash, Poplar &c; Underg^d. Ash & Spice
West	On a Random line between Sec. 7 & 18 T. N. 11. N. R. N. 27.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
80.28	Intersected the West Boundary 9 links South of the post set for the cor. of Sec. 12 & 13. T. N. 11. N. R. N. 27. Lands broken and 2 ^d rate; Timber Sugar, Beech, Ash, Walnut, &c. Underg ^d . Spice Pawpaw &c
East	On true line between Sec. 7 & 18 T. N. 11. N. R. N. 27.
24.46	To a Poplar 70 in. dia. Stands in the line
40.14	Set the temporary post at the corr. dist. on the true line for the cor. to the $\frac{1}{4}$ Sec. from which a Beech 12 in. dia. bears N14 ^W . 18 links dist. and a Ho. 19 " " " S4 ^E . 17 " "
64.56	To a Sugar 20 in. dia. Stands in the line.
80.28	To the post set for the Sec. 7 & 8. 17 & 18. Nov. 19 th 1819
North	Between Sec. 7 & 8 T. N. 11. N. R. N. 27.
17.05	To a Birch 10 links wide; course S. S. E.
20.44	To a Sugar 26 in. dia. Stands in the line
40.00	Set a post for the cor. to the $\frac{1}{4}$ Sec. from which a Beech 23 in. dia. bears N30 ^E . 14 links dist. and a Ho. 16 " " " N67 ^W . 17 " "
55.11	To a Hackberry 25 in. dia. Stands in the line
80.00	Set a post for the cor. to Sec. 5 & 6. 7 & 8. from which a Beech 20 in. dia. bears N50 ^E . 17 links dist. & a Sugar 30 " " " N86 ^W . 54 " " Lands broken and 2 ^d rate; Timber Sugar, Walnut, Ash, Hackberry, Beech, &c. Underg ^d . Spice, Ash, Poplar &c

T. N. 11. N. R. N. 2 W. 2nd Mer. (Ind.)

West	On a Random line between Sect. 6 & 7. T. N. 11. N. R. N. 2 W.
40.00	Set a temporary post for the cor. to the 1/4 sec.
51.80	To a Brook 8 miles wide; course S. S. E.
80.44	Intersected the West Boundary 86 miles South of the post set for the cor. of sec. 1 & 12. T. N. 11. N. R. N. 2 W. Sand broken and 2 nd rate; Timber, Beech, Poplar, Ash and Sugar. &c. undergrowth Spice &c.
East	On the true line between Sect. 6 & 7. T. N. 11. N. R. N. 2 W.
16.97	To a Beech 20 mi. dist. stands in the line.
110.22	Set the temporary post at the aver. dist. in the true line for the cor. to the 1/4 sec. from which a Beech 18 mi. dist. bears S 41 W. 28 miles dist. and do. 20 " " " N 47 W. 14 " "
62.69	To a Beech 26 mi. dist. stands in the line.
80.44	To the post set for the cor. of sec. 5, 6, 7 & 8.
North	Between Sect. 5 & 6. T. N. 11. N. R. N. 2 W.
22.82	To a Sugar. 16 mi. dist. stands in the line.
40.00	Set a post for the cor. to the 1/4 sec. from which a Sugar 10 mi. dist. bears N 55 E. 15 miles dist. and a Beech 28 " " " S 16 W. 43 " "
56.01	To a Sugar 19 mi. dist. stands in the line.
71.77	Intersected the N. Boundary 7.00 ch. East of the post set for the cor. of sec. 31 & 32. T. N. 12. N. R. N. 2 W. and set a post for the cor. of sec. 5 & 6 from which a Beech 20 mi. dist. bears West. 50 miles dist. &c do. 21 " " " S 52 E. 61 " "
	Sand Broken and 2 nd rate; Timber Beech, Ash, Hickory &c. undergrowth Spice &c.
North	Between Sect. 32 & 33. T. N. 11. N. R. N. 2 W.
	Set a post in the N.E. Boundary of Harrison's

T. N. H. N. R. N. 2nd W. 2nd Mrs. Ind.

	Purchase where imaginary line intersects the same from which a Buckeye 18 in. dia. bears N 53 E. 12 lks dist; and a White Thorn 4, " " N 29 W. 16 "
22.54	Length of imaginary line.
30.06	To a Sugar 14 in. dia. stands in the line.
40.00	Set a post for the cor. to the 1/4 sec. from which a Hackberry 16 in. dia. bears S 66 E. 22 links dist; to Do 20 " " " N 66 W. 58 " "
70.09	Set a post on the Left Bank of White River for the cor. to the frac. sec. 32. 133. from which a Cottonwood 16 in. dia. bears S 60 E. 25 lks dist; to Do 6 " " " S 41 W. 44 " "
75.30	Set a post on the R ^t . Bank of White River for the cor. to fractional sec. 32. 133. from which a Mulberry 20 in. dia. bears N 42 W. 14 links dist; to Walnut 14 " " " N 19 E. 17 " "
	Nov. 20 1819
80.00	Set a post for the cor. of Sec. 28. 29. 32. & 33. from which a W. Thorn 6 in. dia. bears S 33 E. 14 lks dist; to Hackberry 4, " " " N 38 W. 22 " " Land sold under 1 st rate; Timber Walnut, Hack- berry Buckeye & Sycamore. under 2 nd rate, Elder &c.
Next	On a Random line between Sec. 29 & 32 T. N. H. N. R. 2 nd
24.10	To the R ^t . Bank of White River
29.05	" " Left " " " "
34.00	" " " " " " again
40.00	Set a temporary post for the cor. to 1/4 sec. on River bank
40.62	To the R ^t . Bank of White River.
43.48	To a Brook 40 links wide; Course S. Y. E.
82.58	Intersected the N. S. line 39 links South of the post set for the cor. of sec. 29. 30. 31. & 32. Land part sold under part Broken 2 nd rate; Timber Walnut,

T. N. 11. N. R. N. 2. W. 2nd Mer. (Ind.)

Wackberry, Buckeye, Sycamore, Box Elder, Sugar
Hickory and Beech and 8th Spire Box Elder to

East	On a true line between Sec. 29. 132. T. 10 N. R. 2 W.
23.74	To a Sugar 16 in. dia. stands in the line.
41.29	Set the temporary post at the avor. dist. on the true line for the cor. to the 1/4 sec. from which are Elm 8 in. dia. bears N 21 E. 30 miles dist.; and a Box Elder 14 " " " S 63 W. 22 " "
42.96	Set a post on the Rt Bank of W. River for the cor. to frac. sections 29 132 from which are Elm 18 in. dia. bears N 22 E. 50 miles dist.; and are Do 16 " " " S 47 W. 64 " "
48.58	Set a post on the Left Bank of W. River on the true line for the cor. to the frac. Sec. 29 132. from which a Cottonwood 4 in. dia. bears N 58 E. 10 miles dist.; and Do 6 " " " S 52 E. 12 " "
53.53	Set a post on the Left Bank of White River for the cor. to the frac. Sec. 29 132 from which a Walnut 6 in. dia. bears N 16 W. 9 miles dist.; and a Ash 4 " " " S 44 E 19 " "
58.43	Set a post on the Rt Bank of White River for the cor. to frac. sections 29. 132 from which a Walnut 20 in. dia. bears S 83 E. 41 miles dist.; and a Do 20 " " " N 61 W. 42 " "
82.58	To the post set for the cor. to Sec. 28. 29. 32 133.

North	Between Sec. 28 & 29 T. N. 11. N. R. N. 2 W.
20.29	To a Hickory 16 in. dia. stands in the line.
40.00	Set a post for the cor. to the 1/4 sec. from which a Beech 14 in. dia. bears N 13 E. 18 miles dist.; and a Do 16 " " " S 15 W. 30 " "
66.50	To a Red Oak 20 in. dia. stands in the line.

T. N. H. N. R. N. 2 N. 2nd Mer. Ind.

72.06	To a Brook 15 miles wide; Course N. E. N.
80.00	Set a post for the cor. of sec. 20. 21. 28. & 29 from which a Hickory 12 in. dia. bears S 26 N. 11 miles dist; & a Ash 18 " " " N 34 E. 14 " " Sand level of 2 nd rate; Timber N. R. Oak Buck, Sugar ash &c. and 1 st Spin Maple &c
West	On a Random line between Sec. 20. & 29 T. N. H. N. R. 2 N.
40.00	Set a temporary post for the cor. to the 1 st Sec.
51.54	To a Brook 6 miles wide; Course S. E. N.
82.65	Intersected the N. E. line 10 miles N. of the post set for the cor. of sec. 19. 20. 29. & 30. Sand Brook 12 th rate Timber Buck, N. Oak, Sugar, ash &c. No Spin, ash &c
East	On a true line between Sec. 20. & 29 T. N. H. N. R. N. 2 N.
21.01	To a Buck 14 in. dia. Stands in the line.
41.33	Set the temporary post at the average distance on the true line for the cor. to the 1 st Sec. from which a Buck 18 in. dia. bears S 34 E. 15 miles dist;
64.65	To a Buck 20 in. dia. Stands in the line
82.65	To the post set for the cor. of sec. 20. 21. 28. & 29.
North	Between Sec. 20. & 21. T. N. H. N. R. N. 2 N.
23.65	To an Elm 20 in. dia. Stands in the line.
29.50	" a Brook 5 miles wide; Course E. S. E.
40.00	Set a post for the cor. of 1 st Sec. from which a Sugar 20 in. dia. bears N 59 N. 5 miles dist; and a Do 14 " " " S 76 E. 10 " "
60.14	To a Sugar 24 in. dia. Stands in the line.
80.00	Set a post for the cor. to sec. 16. 17. 20. & 21. from which a Sugar 16 in. dia. bears S 72 N. 14 miles dist; and a Do 20 " " " N 68 E. 16 " " Sand Brook 12 th rate; Timber Buck, Sugar, ash

	Walnut & underyth Spin &c
West	On a Random line between Sect. 17 & 20. T. N ^o 11. N.R. N ^o 27.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
47.27	To a Buck 18 10 miles wide; Course S.
60.47	" " " " " " S. 9 E.
82.50	Intersected the N.R. line 14 miles North of the post Set for the cor. of Sect. 17. 18. 19. & 20. Land Broken and 2 nd rate; Timber Sugar, Wal- nut, Ash &c. Underyth Spin. &c.
East	On a New line between Sect. 17. & 20. T. N ^o 11. N.R. 27.
19.80	To a Buck 24 in. dia. Stands in the line.
41.25	Set the temporary post at the aver. dist in the true line for the cor. to the $\frac{1}{4}$ Sec. from which a Buck 22 in. dia. bears S 48 E. 29 miles dist; & a do 20 " " " N 28 E. 12 " "
54.17	To a Sugar 14 in. dia. Stands in the line
82.50	To the post set for the cor. of Sect. 16. 17. 20 & 21.
North	Between Sect. 16. & 17. T. N ^o 11. N.R. N ^o 27.
19.48	To a Sugar 20 in. dia. Stands on the line.
40.00	Set a post for the cor. of the $\frac{1}{4}$ Sec. from which a Buck 22 in. dia. bears N 31 W. 28 miles dist; & a do 30. " " " S 67 E. 16 " "
61.85	To a Walnut 14 in. dia. Stands in the line
71.00	" " Buck 15 m. wide, Course S. 1 E.
80.00	Set a post for the cor. of Sect. 8. 9. 16. & 17. from which a Oak 40 in. dia. bears N 32 W. 14 miles dist; & a Buck 13. " " " S 64 E. 19 " " Land part well and part broken; Timber Su- gar, Buck, Ash, Elm Walnut. &c. Underyth Spin &c. Nov. 21 st 18. 19.

T. N. H. N. R. N. 277. 2nd Mer. Aud.

West	On a Random line between Sep. 8 & 17. T. N. H. N. R. N. 277.
3.64	To a Brook 15 miles wide; Course S. & E.
30.68	" " " 8 " " " S. E.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
76.00	To a Brook 10 miles wide; Course S. E.
82.46	Intersected the N. & S. line 19 miles S. of the post set for the cor. of Sep. 7, 8, 17, & 18. Lands broken & 2 nd rate; Timber Sugar, ash, Poplar, Buck & 100 Spikes
East	On a true line between Sep. 8, & 17. T. N. H. N. R. N. 277.
22.54	To a Sugar 21 in. dia. Stands in the line
41.23	Set the temporary post at the above distance on the true line for the cor. to the $\frac{1}{4}$ Sec. from which a Poplar 15 in. dia. bears S 76 N. 11 miles dist; to Elm 5 " " " N 89 E. 10 " "
60.56	To a Spanish Oak 20 in. dia Stands in the line
82.46	To the post set for the cor. of Sep. 8, 9, 16, & 17.
North	Between Sep. 8 & 9. T. N. H. N. R. N. 277.
24.31	To a Beech 21 in. dia Stands in the line
40.00	Set a post for the cor. to the $\frac{1}{4}$ Sec. from which a Sugar 17 in. dia bears S 83 N. 15 miles dist; to Hs 13 " " " N 45 E. 18 " "
59.12	To a Sp. Oak 23 in. dia Stands in the line.
80.00	Set a post for the cor. of Sep. 4, 5, 8 & 9. from which a Sugar 4 in. dia Stands S 61 N. 4 miles dist; to ash 28, " " " S 84 E. 9 " " Land Broken 2 nd rate; Timber Beech, Sugar ash & 10. Undergrowth Spice Ironwoods, Dogwood &c.
West	On a Random line between Sep. 5 & 8. T. N. H. N. R. N. 277.
22.00	To a Brook 12 miles wide; Course S. E.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ Sec.

T. N. 11 N. R. N. 2 W. 2nd Mer. Ind.

82.56	Intersected the N & S line 8 miles E. of the post set for the cor. of sec. 5, 6, 7 & 8. Land broken & 2 nd rate; Timber Sugar Beech, Elm, Walnut, &c U. S. Spruce, Ash, & Paw-paw. &c.
East	On a true line between Sec. 5 & 8. T. N. 11. N. R. N. 2 W.
19.06	To a Beech 28 in. dia. Stands in the line.
41.28	Set the temporary post at the average distance on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Beech 32 in. dia. bears S 43 E. 13 miles distant. So Hickory 15 " " " N 27 W. 11. " "
59.94	To a Beech 16 in. dia. Stands in the line
82.56	To the post set for the cor. of sec. 4, 5, 8 & 9
North	Between Sec. 4 & 5 T. N. 11. N. R. N. 2 W.
27.92	To a Beech. 22 in. dia. Stands in the line
28.90	Enter a Windfall
40.00	Set a post for the cor. of the $\frac{1}{4}$ sec. from which a Hickory 2 $\frac{1}{2}$ in. dia. bears N. 74 W. 17 miles dist; so do 2 $\frac{1}{2}$ " " " S 22 E. 7 " "
52.00	Left the Windfall
62.27	To a Beech 17 in. dia. Stands in the line.
71.13	Intersected the N & P boundary 9.75 ch. East of the post set for the cor. of sec. 32 & 33. T. N. 12. N. R. N. 2 W. and set a post for the cor. of sec. 4 & 5. from which a Beech 14 in. dia. bears S 23 W. 46 miles dist and a Beech 3 " " " S 33 E. 28 " " Land broken and 2 nd rate; Timber Beech, ash, Sugar, Hickory, &c and Spruce, ash, Hickory & birch Nov. 22. 1819.
North	Between Sec. 33 & 34 T. N. 11. N. R. N. 2 W.
53.06	To a Brook 6 miles wide; Course N. W.

T. N. 11. N. R. N. 2 W. 2nd Mer. Ind.^a

20.87	Is an Ash 14 in. dia. stands in the line.
29.70	Set a post on the left Bank of White River for the cor. to frac. sec. 33. & 34. from which a Poplar 12 in. dia. stands S 61 N. 3 miles dist; & a Red Bud 4 " " " S 29 E. 9 " "
35.03	Set a post on the Rt Bank of White River for the cor. to frac. sec. 33. & 34. from which a Sycamore 16 in. dia. bears N 61 N. 11 miles dist; and a Mulberry 6 " " " N 35 E. 21 " "
40.00	Set a post for the cor. of 1/4 sec. from which a Hackberry 26 in. dia. bears N 43 N. 10 miles dist; & a Sugar 14 " " " S 19 E. 8 " "
58.12	Two Locust 24 in. dia. stands in the line.
80.00	Set a post for the cor. of sec. 27, 28, 33. & 34. from which a Hackberry 16 in. dia. bears N 17 E. 27 miles dist; and a Wickory 12 " " " S 21 N. 25 " " Land 1 st 1/2 mile from 3 rd rate; Last 1/2 mile 1 st rate land. Timber N. Oak, Beech, Hickory & c. Walnut Hackberry Sugar. Buckeye. Hickory & c. under 1 st 1/2 mile Hickory and Pawpaw & c.
West	On a Random line between Sec. 28. & 33.
40.00	Set a temporary post. for the cor. of 1/4 sec.
71.93	Intersected the N & S line 10 miles N. of the post set for the cor. of sec. 28, 29, 32 & 33. Land half and 1 st rate; Timber Walnut Hack- berry and Locust, Ash, Sugar Sycamore & c. W. J. Spice and Pawpaw.
East	On a true line between Sec. 28. & 33. T. N. 11. N. R. 2 W.
10.41	Is a Hickory 22 in. dia. stands on the line
35.96	Set the temporary post at the average distance on the true line for the cor. of 1/4 sec. from which a

417

T. N. 11. N. R. N. 27. 2nd (Mer. (Ind.))

	Hornbeam 6 in. dia. Stands S42E. 10 miles dist; to Hickory 15 " " " N63E. 12 " " 51.93 To a Shell bark Hickory 22 in. dia? Stands in the line 71.93 To the first set for the cor. of Sec. 27. 28. 33. 34.
North	Between Sec. 27. 28. T. N. 11. N. R. N. 27. 20.97 To a Beech 16 in. dia Stands in the line. 40.00 Set a post for the cor. to 1/4 Sec. from which a Hornbeam 4 in. dia? Stands N65W. 13 miles dist; to Beech 18 " " " N42E. 18 " " 68.18 To a Hackberry 24 in. dia Stands in the line. 80.00 Set a post for the cor. of Sec. 21. 22. 27. 28. from which Hickory 16 in. dia? Stands N10W. 10 miles dist; to Maple 18 " " " S7E. 12 " " Sand part 1st rate and part 2nd rate; Timber Beech, Sugar Oak, Walnut, Maple, Hackberry &c. W. Spruce, Pawpaw. Ash, Birch &c.
West	On a Random line between Sec. 21. 28. T. N. 11. N. R. N. 27. 40.00 Set a temporary post for the cor. of the 1/4 Sec. 69.70 To a Brook 12 miles wide; Corner S. E. W. 72.00 Intersected the N. S. line 16 miles N. of the first set for the cor. of Sec. 20. 21. 28. & 29. Sand part level and part broken 2nd rate and part 3rd rate. Timber N. Oak, Ash, Beech, Walnut, Hickory &c. W. Spruce, Ash, Pawpaw. Haze Birch &c.
East	On a true line between Sec. 21. 28. T. N. 11. N. R. 27. 25.50 To a Beech 16 in. dia Stands in the line. 36.00 Set the temporary post at the aver. dist on the true line for the cor. to the 1/4 Sec. from which a Sugar 4 in. dia Stands S25E. 5 miles dist; to Beech 17 " " " N13E. 21. " "

T. N^o 11. N. R. N^o 2 W. 2nd Mer. Ind.^a

55.45	To a Hickory 15 in. dia. stands in the line
72.00	To the post set for the cor. of sec. 21. 22, 27, & 28.
Back	Between Sec. 21. & 22 T. N ^o 11. N. R. N ^o 2 W.
30.60	To a Walnut 14 in. dia. stands in the line
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Beech 18 in. dia. bears N 49° W. 11 links dist; & a W. Oak 16 " " " S 35° E. 26 " "
63.65	To a Brook 6 links wide; Course S. W.
64.80	To a Hickory 16 in. dia. stands in the line
80.00	Set a post for the cor. of sec. 15. 16. 21. & 22, from which a Hickory 10 in. dia. bears N 23° W. $\frac{1}{2}$ links dist; & a Beech 14 " " " S 8° E. 18 " " Lands R st $\frac{1}{2}$ mile R st rate; 2 nd $\frac{1}{2}$ mile Broken 3 rd rate; Timber Walnut, Hackberry, Sugar Beech, W. Oak, Hickory &c. U. S. Pine, Hazel, Dogwoods & Brins
West	On a Random line between Sec. 16 & 21. T. N ^o 11. N. R. N ^o 2 W.
40.00	Set a temporary post for the cor. of $\frac{1}{4}$ sec.
62.15	To a Brook 10 links wide; Course S. W.
72.20	Intersected the N. & S. line 15 links N. of the post set for the cor. of sec. 16. 17. 20. & 21. Lands broken 2 nd / 3 rd rate land Timber, Beech, W. Oak, Hickory Walnut, &c. U. S. Pine Hazel, Sassafras, Dogwood, Ironwood &c. N ^o 23, 18 & 19
East	On a true line between Sec. 16 & 21. T. N ^o 11. N. R. N ^o 2 W.
17.80	To a Walnut 12 in. dia. stands in the line
36.10	Set the temporary post at the app. distance on the true line for the cor. to $\frac{1}{4}$ sec. from which a Beech 18 in. dia. bears S 81° W. 14 links dist; & a Do 14 " " " N 33° W. 83 " "
49.56	To a Beech 20 in. dia. stands in the line.

T. N. 11. N.R. N. 2 W. 2nd Mer. Ind. a

72.20	To the post set for the cor. of Sec. 16. 17. 20. & 21
North 19.70 40.00 61.68 80.00	Between Sec. 15 & 16 T. N. 11. N.R. N. 2 W. To a Sp. Oak 29 in. dia. stands in the line. Set a post for the cor. of $\frac{1}{4}$ Sec. from which a Logwood 3 in. dia. bears S 80 W. 7 miles dist; & a Beech 3 " " " N 59 E. 8 " " To a Hickory 26 in. dia. stands in the line Set a post for the cor. to Sec. 9. 10. 15. & 16. from which a Beech 4 in. dia. bears S 47 E. 19 miles dist; and a Sugar 5 " " " N 17 W. 14 " " Land broken 2 nd & 3 rd rate; Timber N. Oak, Beech Sugar. Poplar, &c. N. J. Spruce, Ironwood, Logwood & Birch &c.
West 40.00 61.50 72.65	On a Random line between Sec. 9 & 16. T. N. 11. N.R. N. 2 W. Set a temporary post for the cor. to the $\frac{1}{4}$ Sec. To a Brook 6 miles wide; Course S. E. W. Intersected the N. & S line 19 miles N. of the post set for the cor. of Sec. 8. 9. 15 & 17. Land broken 2 nd & 3 rd rate; Timber N. Oak, Beech, Poplar & Sugar, Hickory &c N. J. Spruce Ironwood Chastanet &c.
East 12.09 36.32 45.00 72.65	On a true line between Sec. 9. & 16. T. N. 11. N.R. N. 2 W. To a Sugar 18 in. dia. stands in the line. Set the temporary post at the avor. dist. on the true line for the cor. to the $\frac{1}{4}$ Sec. from which a Sugar 18 in. dia. bears S 23 W. 23 miles dist; and a Beech 13 " " " N 61 E. 17 " " To a Sugar 23 in. dia. stands in the line. To the post set for the cor. to Sec. 9. 10. 15 & 16.
North	Between Sec. 9. & 10. T. N. 11. N.R. N. 2 W.

T. N. 11. N. R. N. 2 W. 2nd Mer. S. 11th

22.15	To a Beech 18 in. dia. stands in the line
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Hickory 15 in. dia. bears N. 54 $^{\circ}$ W. 21 links dist; to a Beech 6 " " " S 69 $^{\circ}$ E. 13 " "
66.08	To a Sugar 20 in. dia. stands in the line
80.00	Set a post for the cor. of sec. 3, 4, 9. & 10 from which a Sugar 15 in. dia. bears N. 22 $^{\circ}$ E. 25 links dist; to a No. 20 " " " S 27 $^{\circ}$ W. 28 " "
	Land Broken 2 nd & 3 rd rate; Timber Beech, W. Oak, Sp. Oak, Hickory, Sugar &c. (W. Spruce, Ironwood, Dogwood, Sassafras, Brins &c)
Meet	On a Random line between Sec. 4 & 9. T. N. 11. N. R. N. 2 W.
40.00	Set a temporary post for the cor. to the $\frac{1}{4}$ sec.
72.46	Intersected the N. & S. line at the post set for the cor. of sec. 4, 5, 8 & 9. Land part level 2 nd rate; 1 part Broken 3 rd rate; Timber Beech, Sugar, Poplar, Ash, &c. Undergrowth Spruce Ash &c.
East	On a true line between Sec. 4 & 9. T. N. 11. N. R. N. 2 W.
20.09	To a Beech 21 in. dia. stands in the line
36.23	Set the temporary post at the average distance on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Beech 18 in. dia. bears N. 67 $^{\circ}$ E. 27 links dist; to a No. 21 " " " S 59 $^{\circ}$ W. 29 " "
48.90	To a Beech 16 in. dia. stands in the line.
72.46	To the post set for the cor. of sec. 3, 4, 9. & 10.
North	Between Sec. 3 & 4. T. N. 11. N. R. N. 2 W.
2.10	To a Brook 10 links wide; course S. S. E.
14.78	To a W. Oak 17 in. dia. stands in the line.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Beech 15 in. dia. bears N. 71 $^{\circ}$ E. 13 links dist; and a

46.25 Buck 14 in. dia bears N 71 W. 13 links dist; 1
To a Brook 10 links dist; Course S. S. W.
59.93 To a Buck 23 in. dia. Stands in the line
71.21 Intersited the N. Boundary 3.93 ch. East of the post
Set for the cor. of sec. 33. & 34. T. No 12. N.R. No 27. &
Set a post for the cor. of sec. 34 & 4. From which a
Buck 22 in. dia bears S 43 E. 5 links dist; and a
Ash 28 " " " S 45 W. 42 " "
Land part level and part Broken 3rd rate. Timber
W. B. Oak, Buck, Sugar, &c. W. Logwood
Ironwood Spice. Brins. Nov. 24. 1819.

North Between Sec. 34 & 35 T. No 11. N.R. No 27.
20.27 To a Hickory 21 in. dia. bears in the line
40.00 Set a post for the cor. to the 1/4 sec. from which a
Poplar 14 in. dia. bears N 65 E. 12 links dist; and a
Logwood 2 " " " S 61 W. 24 " "
59.06 To an ash 24 in. dia. Stands in the line.
72.90 Set a post on the Left Bank of White River for the
cor. to sec. 34 & 35 from which a
Maple 20 in. dia. bears S 47 E. 5 links dist; and a
Do 12 " " " S 25 W. 9 " "
76.80 Set a post on the R. Bank of White River for the cor. to
sec. 34 & 35. From which a
B. Ash 10 in. dia. bears N 22 E. 20 links dist; & a
W. Plum 8 " " " S 46 W. 14 " "
80.00 Set a post for the cor. of sec. 26. 27. 34 & 35 from which
Sugar. 20 in. dia. bears N. 29 E. 25 links dist; & a
W. Walnut 24 " " " S 24 E. 16 " "
Land part level and part broken 2nd & 3rd rate.
land. Timber Sugar Buck Poplar, Ash, Walnut, Ash,
W. Oak, &c. Undergrowth Spice Ash &c

T. N. 11. N. R. N. 27. 2nd Mer. (Ind.)

West On a Random line between Sep. 27. 134. T. N. 11. N. R. N. 27.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 79.60 Intersected the N. & S. line 15 miles North of the post
 set for the cor. of Sep. 27, 28, 33. 134
 Sand hick and first rate; Timber Walnut Hackberry
 Locust Sugar Buckeye &c. W. J. Spruce. Pawpaw.

East On a true line between Sep. 27. 134. T. N. 11. N. R. N. 27.
 26.05 To a Hackberry 14 in. dia. It stands in the line.
 39.80 Set a temporary post at the avor. dist on the true line
 for the cor. to the $\frac{1}{4}$ sec. from which a
 Buckeye 13 in. dia. bears S 28 N. 4 miles dist; & a
 Hackberry 14 " " " N 1 E. 15 " "
 57.75 To a Hackberry 22 in. dia. It stands in the line.
 79.60 To the post set for the cor. to Sep. 26, 27, 34. 134

North Between Sep. 26 & 27 T. N. 11. N. R. N. 27.
 19.35 To a Hickory 14 in. dia. It stands in the line
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Hickory 4 in. dia. bears N 52 E. 20 miles dist; and a
 Hackberry 21 " " " N 30 N. 26 " "
 64.08 To a Buck 27 in. dia. It stands in the line
 80.00 Set a post for the cor. to Sep. 22, 23, 26, 27 from which
 Sugar 22 in. dia. bears S 85 N. 5 miles dist; and a
 Ash 32 " " " S 76 E. 16 " "
 Sand hick and first rate; Timber Walnut Locust.
 Hackberry, Sugar, Buckeye &c. W. J. Spruce, Ash &c.

West Between Sep. 22. & 27. T. N. 11. N. R. N. 27.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 79.64 Intersected the N. & S. line at the post set for the cor. of
 Sep. 21, 22, 28. 134 Sand hick and first rate; Timber
 130 White Walnut Sugar Buck, Ash, Cherry, Locust

423

T. N. 11. N. R. N. 27. 2nd Mer. (Ind. a)

to. M^y Pine, ash, &c.

East On a true line between Sec. 22, & 27. T. N. 11. N. R. N. 27.
 21.50 To a Cherry 24 in. diam. Stands in the line.
 39.82 Set the temporary post at the above dist. on the true line for
 the cor. to the 1/4 sec. from which a
 Walnut 3 in. dia. bears N 49 W. 21. links dist; and a
 Sugar 25 " " " S 47 E. 29 " "
 57.54 To a Sugar 6 in. dia. Stands in the line
 79.64 To the post set for the cor. of sec. 22, 23, 26 & 27.

North Between Sec. 22, & 23. T. N. 11. N. R. N. 27.
 20.43 To a Sugar 17 in. diam. Stands in the line.
 21.20 Out the Bend of a Stream 14 links wide; from N.E. to S.E.
 25.56 To the same Stream - " " Course S.E.
 40.00 Set a post for the cor. to the 1/4 sec. from which a
 Hackberry 17 in. dia. bears N 20 E. 11 links dist; to
 do 14 " " " S 62 W. 28 " "
 45.00 To the same Stream - links wide; Course S.W.
 48.44 " " " " " " " S.E.
 65.00 " " " " " " " S.W.
 66.44 " " " " " " " S.E.
 70.40 " " " " " " " S.W.
 76.60 " " " " " " " S.E.
 80.00 Set a post for the cor. to Sec. 14, 15, 22, & 23 from which
 a Walnut 6 in. dia. bears N 21 E. 29 links dist; to
 a Butternut 7 " " " N 86 W. 19 " "
 Sands level first rate; Timber Walnut Hackberry
 Buckeye, Sugar &c. M^y Pine Pawpaw &c.
 Nov. 25. 1819.

West On a Random line between Sec. 15 & 22. T. N. 11. N. R. N. 27.
 40 To a Stream 12 links wide; Course. —

T. N. 11. N. R. No 27. 2nd Mer. Ind.

40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
79.76	Intersected the E. & S line 27 miles South of the first set for the cor. of Sec. 15, 16, 21, & 22. Land Broken 2 nd & 3 rd rate; Timber W & B Oak, Hickory, Beech &c. W. Dogwoods, Ironwood, Sassafras, Hickory, Pines &c.
East	On a true line between Sec. 15, & 22 T. N. 11. N. R. No 27
17.72	To a Hickory 20 in. dia. stands in the line
39.88	Set the temporary post at the above distance on the true line for the cor. to the $\frac{1}{4}$ sec. from which are Ironwoods 4 in. dia. bears S 12 E. 24 miles dist; & a W. Oak 14 " " " N 63 W. 46 " "
59.74	To a Hickory 18 in. dia. stands in the line.
79.76	To the post set for the cor. to Sec. 14, 15, 22, & 23.
North	Between Sec. 14 & 15 T. N. 11. N. R. No 27.
0.45	To a Brook 15 in. dia. bears course S. S. W.
2.50	To the same stream 15 miles wide; course S. S. E.
20.29	To a Sassafras 10 in. dia. stands in the line
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which are Hickory 4 in. dia. bears S 60 W. 13 miles dist; & a Beech 8 " " " S 65 E 14 " "
64.42	To a Beech 19 in. dia. bears in the line.
80.00	Set a post for the cor. of Sec. 10, 11, 14, & 15 from which are Sugar 7 in. dia. bears S 75 W. 15 miles dist and a Beech 18 " " " N 70 E. 27 " "
	Land on the 1 st 1/2 mile broken and 3 rd rate; 2 nd 1/2 mile good and 2 nd rate; Timber W Oak, B. Oak, Beech, Sugar, Poplar Hickory, &c. undergrowth Spice, Dog- wood, Ironwoods, Pines &c.
West	On a Random line between Sec. 10 & 13 T. N. 11. N. R. No 27

T. N^o 11. N. R. N^o 27. 2nd Mer. (Ind. 2)

40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
46.70	To a Brook 12 miles wide; Course S. S. E.
80.28	Intersected the N. P. line 15 miles N. of the post set for the cor. of sec. 9. 10. 15 & 16. Land bottom made 3 rd rate Timber WTB Oak Hickory & W. J. Logg ^r . Spruce & Birch
East	On a true line between Sec. 10 & 15. T. N ^o 11. N. R. N ^o 27.
22.61	To a Beech 12 in. dia. It stands in the line
40.14	Set the temporary post at the av. dist on the true line for the cor. to the $\frac{1}{4}$ sec. from which a Beech 13 in. dia. bears N 67 N. 24 miles dist; and a Sugm 17 " " " N 11 E. 29 " "
57.60	To a Sugar 16 in. dia stands in the line.
80.28	To the post set for the cor. of sec. 10. 11. 14 & 15
North	Between Sec. 10 & 11. T. N ^o 11. N. R. N ^o 27.
7.58	To a Brook 12 miles wide; Course S. E.
26.10	To a W. Oak 20 in. dia. stands in the line.
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Sassafras 8 in. dia bears N 76 N. 9 miles dist; & a Spruce 6 " " " S 37 E. 10 " "
55.28	To a Beech 19 in. dia. stands in the line
80.00	Set a post for the cor. of sec. 2. 3. 10 & 11. from which a Beech 26 in. dia bears N 81 E. 17 miles dist; and a Lo 7 " " " S 63 N. 25 " " Land part level and part broken 2 nd & 3 rd rate Timber Beech. WTB Oak, Poplar, Hickory & Sugar W. J. Spruce Sassafras & Birch &c
West	On a Random line between Sec. 3 & 10. T. N ^o 11. N. R. N ^o 27.
35.05	To a Brook 10 miles wide; Course S. S. E.
40.00	Set a temp. post for the cor. to the $\frac{1}{4}$ sec.
76.82	To a Brook 10 miles wide; Course S. S. E.

T. N. 11. N. R. N. 27. 2nd Mer. (Indiana)

80.47	Intersected the N & S line 8 links S. of the post set for the cor. of sec. 3, 4, 9 & 10. Land part level and part broken 2 nd & 3 rd rate; Timber Beech Sugar Poplar W Oak &c Underg th Spruce, Ironwoods, Dog w ^o Hops & Brins &c.
East	On a true line between Sec. 3 & 10. T. N. 11. N. R. N. 27.
20.57	To a Beech 21 in. dia. Stands in the line.
40.23	Set the temporary post at the avor. distance on the true line for the cor. of the $\frac{1}{4}$ sec. from which an Ironwood 6 in dia bears N 34 W. 16 links dist; and a Beech 15 " " S 65 E. 19 " "
56.32	To a Sugar 21 in. dia Stands in the line.
80.47	To the post set for the cor. of sec. 2, 3, 10 & 11.
North	Between Sec. 2 & 3. T. N. 11. N. R. N. 27.
24.64	To a Poplar 44 in. dia Stands in the line.
40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Beech 18 in. dia. bears N 64 W. 14 links dist; and a Sugar 20 " " " N 78 E. 29 " "
64.35	To an Ash 22 in. dia Stands in the line
70.18	Intersected the N Boundary 3.18 ch. East of the post set for the cor. of sec. 34 & 35. T. N. 12. N. R. N. 27. and set a post for the cor. of sec. 2 & 3 from which a Beech 10 in. dia. bears S 83 W. 23 links dist; and a Do 19 " " " S 28 E. 19 " "
	Land level and 2 nd rate; Timber Beech, Sugar, Poplar Ash &c (W) Spruce. Nov. 26 th 1819.
North	Between Sec. 35 & 36 T. N. 11. N. R. N. 27.
18.84	To a Beech 24 in dia. Stands in the line
24.00	" " Brook 16 links wide; comes N. N. W.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a

	Logwood 3 in. dia? bears N 35 W. 11. links dist.; and a Buck 4 " " " S 65 E. 11 " "
60.00	To a W. Oak 18 in. dia stands in the line.
63.08	To a Brook 8 links wide; course N. W.
80.00	Set a post for the cor. of 25, 26, 35 & 36. From which a Buck 16 in. dia? bears N 20 E. 25 links dist.; and a Log 5 " " " S 50 W. 5 " "
	Land broken and 3 rd rate; Timber W. Oak, Buck & Hickory &c. W. Logwood, Hickory, Oak, Ironwood, Sassafras Prins &c.
West	On a Random line between Sec. 26 & 35 T. N. 11. N. R. N. 27.
14.48	To a Brook 8 links wide; course N. W.
40.00	Set a temporary post for the cor. to the $\frac{1}{4}$ sec.
61.00	To the Left Bank of White River
67.34	" " Rt. Bank " " "
79.84	Intersected the N. S. line 20 links South of the post set for the cor. of Sec. 26, 27, 34 & 35 Land Broken & 3 rd rate Timber W. Oak, B. Oak, Hickory and Buck &c. W. Logwood Oak & Ash Prins &c.
East	On the true line between Sec. 26 & 35. T. N. 11. N. R. N. 27.
12.50	Set a post on the Rt. Bank of White River for the cor. to Grad. Section 26 & 35. From which a Sycamore 18 in. dia? bears N 46 E. 16 links dist.; & an Ash 10 " " " S 69 W. 10 " "
18.84	Set a post on the Left Bank of White River for the cor. to Grad. Sec. 26 & 35 from which an Ash 18 in. dia bears S 43 E. 28 links distant & a Maple 10 " " " N 47 E. 30 " "
39.92	Set the temporary post at the above dist; on the true line for the cor. to the $\frac{1}{4}$ sec from which a Buck 6 in. dia. bears N 28 W. 11 links dist.; and a

T. N. 11 N. R. N. 27. 2nd Mer. Ind. a

- Log mode 5 in. dia. bears S 25 N. 21. miles dist; and
 59.16 To a Sugar 12 in. dia. stands in the line
 79.84 To the post set for the cor. of sec. 25, 26, 25 & 36.

- East Between Sec. 25 & 36. T. N. 11. N. R. N. 27
 23.58 To a Beech 13 in dia. stands in the line.
 40.00 Set a post for the cor. to 1/4 Sec. from which a
 Beech 5 in. dia. bears N 44 N. 5 miles dist; and a
 Ho 4 " " " S 24 E. 25 " "
 49.50 To a Brook 6 miles wide; Course N. N.
 66.06 To a Beech 22 in. dia. stands in the line.
 79.80 Into sec the East Boundary 115 miles N. of the post
 set for the cor. of sec. 25 & 36. Next the post set for the
 cor. of Sec. 30. 31. T. N. 11. N. R. N. 17. and took the
 same bearing true Land Broken 2nd & 3rd rate
 timber Ash, W. Oak, Beech and Hickory & W. J
 Spruce, Ash, &c.

- North Between Sec. 25 & 26. T. N. 11. N. R. N. 27.
 9.90 To a Spring branch; Course N. S. N.
 24.84 To a Sugar 16 in dia. stands in the line
 40.00 Set a post for the cor. off from which a
 Log mode 5 in. dia bears S 80 N. 10 miles dist; and a
 Hornbeam 5 " " " N 22 E. 19 " "
 45.70 To a Ponds 80 miles wide. E & N.
 63.94 To a Buckeye 6 in. dia stands in the line
 80.00 Set a post for the cor. of sec. 23, 24, 25 & 26. from which
 B. Elder 6 in dia. bears N. 9 E. 12 miles distant &
 Hackberry 5, " " S 42 N. 23 " "
 Land on the 1st 1/2 mile broken 3rd rate land; Last
 1/2 mile level and 2nd rate; timber W. Oak, Hickory
 Beech, Ash, Walnut, Hackberry, Buckeye &c. W. J
 Logwood, Hickory, Prins Spice Sawhew &c

West On a true line between Sec. 23 & 26. T. N. 11. N. R. N. 27.
 5.35 To the Left Bank of White River.
 10.89 " " " " " "
 40.00 Set a temporary post for the cor. to the 1/4 Sec.
 79.88 Intersected the N. 1/2 line 64 links South of the post set
 for the cor. of Sec. 22, 23, 26 & 27. Sande wood and N.
 oak; Timber Walnut Hackberry Beech, Buckeye
 Elm Sugar &c W. J. Spruce, Saw paw. &c.

East On a true line between Sec. 23 & 26. T. N. 11. N. R. N. 27.
 24.54 To a Beech 19 in. dia stands in the line
 39.94 Set the temporary post at the average distance on the
 true line for the cor. to the 1/4 Sec. from which a
 Hackberry 16 in. dia bears S 61 W. 10 links distant; and a
 Hornbeam 16 " " " N 19 W. 14 " "
 55.68 To a Beech 16 in. dia. stands in the line.
 68.00 Set a post on the N. 1/2 Bank of White River for the
 cor. to the fract. Sec. 23 & 26. from which a
 Hackberry 8 in. dia. bears S 54 W. 14 links dist; & a
 Do. 5 " " " N 9 W. 7 " "
 74.53 Set a post on the left Bank of White River for the cor.
 to fract. sections 23 & 26. from which a
 Maple 15 in. dia bears S 58 W. 3 links dist; and a
 Do. 5 " " " N 27 E. 9 " "
 79.88 To the post set for the cor. of Sec. 23, 24, 25 & 26.

East Between Sec. 24 & 25 T. N. 11. N. R. N. 27.
 12.00 Set a post on the Left Bank of White River for the cor.
 to fractional sections 24 & 25 from which a
 Red Bud 12 in. dia bears S 59 E 32 links dist; and a
 Buckeye 14 " " " N 45 W. 50 " "
 17.66 Set a post on the N. 1/2 Bank of White River for the cor.
 to the fract. Sec. 24 & 25. from which a

T. N. 11. N. R. N. 2 W. 2. Mer. Ind.;

- Maple 4 in. dia. bears N 29 E. 18 links dist; and a
 Cottonwood 16 " " " S 57 N. 14 " "
- 40.00 Set a post for the cor. to the 1/4 sec. from which a
 Walnut 15 in. dia. bears S 21 E. 16 links dist; & a
 Sycamore 44 " " " N 69 N. 20 " "
- 49.14 Set a post on the Rt Bank of White River for the cor. to
 the frac. sec. 24 & 25 from which a
 Sycamore 18 in. dia. bears N 24 N. 7 links dist; & a
 Maple 14 " " " S 8 N. 12 " "
- 53.74 Set a post on the Left Bank of White River for the cor.
 to fractional sec. 24 & 25 from which a
 Hackberry 18 in. dia. bears N 44 E. 28 links dist; & a
 Locust 20 " " " S 8 E. 48 " "
- 70.54 Set a post on the left Bank of White River for the
 cor. to frac. sections 24 & 25. from which a
 Hackberry 35 in. dia. bears N 20 N. 26. links dist; & a
 B. Elder 13 " " " S 27 N. 37 " "
- 75.20 Set a post on the Rt Bank of White River for the cor. to
 frac. sec. 24 & 25. from which a
 Maple 5 in. dia. S 61 E. 7 links dist; and a
 Do. 7 " " N 53 N. 9 " "
- 77.74 Intersected the East Boundary 2.20 ch. N of the post
 set for the cor. of sec. 24 & 25. T. N. 11. N. R. N. 2 W. and set
 a post for the cor. of sec. 24 & 25. from which a
 Elm 5 in. dia. bears S 70 N. 9 links dist; and a
 Hackberry 6 " " " N 82 E. 21 " "
- Sands part 1st and part 2nd rate. Timber Walnut
 Sycamore Hackberry Buckeye &c. W. Spruce
 Pawpaw &c
-
- North Return Sec. 23 & 24. T. N. 11. N. R. N. 2 W.
 9.15 Set a post on the Left Bank of White River for the cor.
 to frac. sections 23 & 24 from which a

	Cottonwood 3 mi. dist. bears N 52 E. 12 miles dist; & a Do 3, " " S 11 W. 13 " "
14.23	Set a post on the R. Bank of White River for the cor. to the front. Section 23 & 24. From which an Elm 5 mi. dist. bears N 75 E. 24 miles distant; and a Buck 24 " " " S 54 W. 18 " "
40.00	Set a post for the cor. to 1/4 Sec. from which a Hackberry 14 mi. dist. bears S 55 W. 2 miles dist; & a Do 4 " " " N 45 E. 7 " "
68.40	Is a Sugar 14 mi. dist. stands in the line
80.00	Set a post for the cor. of Sec. 13, 14, 23 & 24. From which an Elm 6 mi. dist. bears S 22 E. 5 miles dist; and a Hackberry 4 " " " N 12 W. 14 " "
	Land level and 1st rate; Timber Walnut Hackberry Buckeye, Ash, &c. undergth Spruce, Pawpaw. &c.
West	On a random line between Sec. 14 & 23. T. N. 11. N. R. 27.
27.36	To a Brook 12 miles wide; Course S. E.
40.00	Set a temporary post for the cor. to 1/4 Sec.
77.16	To a Brook 15 miles wide; Course S. E.
78.00	" the same stream 15 " " " N. E.
80.00	Intersected the N. Boundary or. N. S. line 29 miles S. of the post set for the cor. of Sec. 14, 15, 22, & 23. Land level 1st & 2nd rate; Timber Walnut, Hackberry, Sugar, Buckeye Buck and Oak. W. Spruce Pawpaw. &c.
East	On the true line between Sec. 14 & 23. T. N. 11. N. R. N. 27.
19.73	To a Water Oak 12 mi. dist. stands in the line.
40.00	Set a post for the cor. to the 1/4 at the aver. dist; on the true line from which a Sugar 27 mi. dist. bears N 78 E. 13 miles distant & a Buck 19 " " " S 17 W. 23 " "
56.00	To a Walnut 66 mi. dist. stands in the line

N^o 11. N.R. N^o 27. 2nd Mer. (Ind. a)

80.00	Set a post for the cor. to sub. 13, 14, 23, & 24
East	Peterson Sub. 13 & 24 I N ^o 11. N.R. N ^o 27.
25.95	To an Elm 19 in. dia. stands in the line.
33.64	To a Brook 5 miles wide; Course South.
40.01	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Beck 15 in. dia. bears S 46 E 14 miles dist; and a Do. 18 in. dia. begins in the line.
66.50 77.78	Set a post for the cor. to sub. 13 & 24. and set a post for the cor. of sub. 13 & 24 from which a Maple 10 in. dia. bears N 41 W. 10 miles dist; and a Hickory 23 in. " " S 66 W. 8 " " Sand level and 1 st rate; some 2 nd rate; Timber Wal- nut, Ash, Sugar, Elm, Beech, W. Oak 10. W. Spruce Pawpaw. &c
North	Peterson Sub. 13 & 14 I N ^o 11. N.R. N ^o 27.
22.53	To a Cherry 16 in. dia. stands in the line.
40.01	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Hickory 3 in. dia. bears N 63 W. 11 miles dist; and a Beech 21 in. " " S 69 E. 29 " "
64.00	To a Shell Bank Hickory 17 in. dia. stands in the line
80.00	Set a post for the cor. to sub. 11, 12, 13, & 14. from which a Maple 14 in. dia. bears N 19 W. 15 miles dist; and a Sugar 16 in. " " S 40 E. 27 " " Sand 1 st $\frac{1}{2}$ mile level 1 st rate; 2 nd $\frac{1}{2}$ mile broken 3 rd rate; Timber Walnut, Sugar, Ash, Cherry, Hackberry W. Oak, Hickory, Beech &c. W. Spruce, Gallafra. Paw- paw. Hogwood &c Nov. 29. 1819
West	On a Random line between Sub. 11 & 14 I N ^o 11. N.R. N ^o 27
40.00	Set a temporary $\frac{1}{4}$ sec. post.

T. N^o 11. N.R. N^o 2 W. 2nd Mer. (Ind.)

52.54	To a Brook 8 miles wide; Course S. by W.
60.54	Intersected the N & S line 64 miles south of the first set for the cor. of sec ^s 10, 11, 14 & 15. Land broken 3 rd rate. Timber W. Oak, Beech, and Hickory Poplar &c. Undergrowth Dogwood, Ironwood, Prunus &c.
East	On a true line between Sec ^s 11 & 14 T. N ^o 11. N.R. N ^o 2 W.
20.54	To a Beech 17 in. dia. stands in the line.
40.02	Set the temporary post at the above distance on the true line for the cor. to the 1/4 sec. from which a Beech 16 in. dia. bears S 44 E. 11 miles distant; and a Dogwood 5 " " " N 43-25 " " "
60.27	To a Poplar 33 in. dia. stands in the line.
80.04	To the post set for the cor. of sec ^s 11, 12, 13 & 14.
East	Between Sec ^s 12 & 13. T. N ^o 11. N.R. N ^o 2 W.
24.34	To a Beech 30 in. dia. stands in the line.
40.00	Set a post for the cor. to the 1/4 sec. from which a Sp. Oak 10 in. dia. stands S 53 E. 12 miles dist; & a W. Oak 14 " " " S 53 E. 28 " " "
55.50	To a Beech 17 in. dia. stands in the line.
68.50	" " Brook 15 miles wide; Course South.
77.75	Intersected the East Boundary 3 1/2 ch North of the post set for the cor. of sec ^s 12 & 13 and set a post for the cor. of sec ^s 12 & 13 from which a Sycamore 36 in. dia. bears S 48 W. 19 miles dist; and a Beech 18 " " " N 40 W. 27 " " "
	Land part level and part broken 3 rd rate; Timber Beech, W. & B. Oak Sp. Oak Hickory &c. W. & Sp. Dogwood, Ironwood, Sassafras, Prunus &c.
North	Between Sec ^s 11 & 12 T. N ^o 11. N.R. N ^o 2 W.
22.45	To a Beech 17 in. dia. stands in the line.

T. N^o 11. N.R. N^o 277. 2nd Mer. (Ind^a)

40.00	Set a post for the cor. to the $\frac{1}{4}$ sec. from which a Logwood 4 in. dia. bears S49 ^W . 25 miles dist; to Hickory 18 " " " N28 ^E . 18 " "
61.37	To a B. Gum 16 in. dia. stands in the line
80.00	Set a post for the cor. of sec. 1. 2. 11. & 12 from which a Buck 13 in. dia. bears S85 ^E . 17 miles dist; and a do 14 " " " N28 ^W . 17 " "
	Land broken 2 nd & 3 rd rate; Timber Buck, Hickory W. Oak, Y. Oak, & undr ^g . Logwood Sassafras Pine &c
West	On a Random line between Sec. 2 & 11 T. N ^o 11. N.R. 277
37.57	To a Brook 8 miles mid; Course S. S. E.
40.00	Set a temp ^y post for the cor. of $\frac{1}{4}$ sec.
45.57	To a Brook 8 miles mid; Course S. E.
79.84	Intersect the N.B. line 68 miles South of the post set for the cor. of sec. 2. 3. 10. & 11 Land part level and part Broken 2 nd & 3 rd rate; Timber Buck, Sugar, W. Oak Hickory &c. W. Logwood Sassafras Hickory Pine &c
East	On a true line between Sec. 2 & 11 T. N ^o 11. N.R. 277.
15.84	To a Shellbark Hickory 20 in dia stands in the line
39.92	Set the temp ^y post for the cor. to the $\frac{1}{4}$ sec. for the cor. dist on the true line for the cor. to the $\frac{1}{4}$ sec from which W. Oak 6 in dia bears N65 ^E . 5 miles dist; & a Sassafras 14 " " " S54 ^W . 14 " "
61.69	To a B. Oak 36 in dia. stands in the line.
79.84	To the post set for the cor. to sec. 1. 2. 11. & 12
East	Return Sec. 1 & 12 T. N ^o 11. N.R. N ^o 277.
19.96	To a W. Oak 20 in. dia. stands in the line
39.90	To a Brook 6 miles mid; Course S. S. E.

43.

T. N^o 11. N.R. N^o 27. 2nd Mer. (Ind.)

- 40.00 Set a post for the cor. to the 14th sec. from which a
 Hornbeam 5 in. dia. bears S 70 E. 14 links dist. to
 Buck 15 " " " N 79 W 17 " "
- 59.60 To a Sugar 17 in. dia. stands in the line
- 64.30 " " Buck 10 links dist. course S. S. W.
- 65.15 " " " 16 " " " S. E.
- 68.09 " " " " " " " N. N. W.
- 70.45 " " " " " " " S. W.
- 77.85 Intersected the East Boundary 410 ch. N. of the post
 set for the cor. of sec. 1 & 12 and set a post for the cor.
 of sec. 1 & 12 from which a
 Beech 8 in. dia. bears S 38 W. 7 links dist. to
 L. 7 " " " N 28 W. 5 " "
 Land part well and part broken 2nd & 3rd rate;
 Timber Beech, W. B. & Sp. Oak, Hickory, Sugar &
 W. Dogwoods Spice, Sassafras Brinst.

- North Return Sec. 11 of T. N^o 11. N.R. N^o 27.
- 22.45 To a Buck 13 in. dia. stands in the line
- 40.00 Set a post for the cor. to 14th sec. from which a
 W Oak. 60 in. dia. bears N 40 W. 8 links dist. to
 Buck 23 " " " S 75 E. 10 " "
- 57.45 To a Sp. Oak 16 in. dia. stands in the line.
- 71.76 Intersected the N. Boundary 270 ch. of the post set
 for the cor. of sec. 35 & 36. T. N^o 12 N.R. N^o 27
 set a post for the cor. of sec. 1 & 2 from which a
 Poplar 18 in. dia. bears S 25 E. 4 links dist. to
 L. 42 " " " N 38 W. 7 " "
 Land Broken & 3rd rate; Timber Beech, W. Oak, Hick
 ory, Sugar &c. W. Sassafras. Hickory, Oak brinst.
 Dec. 13. 1819

Meanders of White River.

Commencing at the post on the Right Bank in the line between Ranges 1 & 2 W. thence Down Stream

N 35 W 5.00 in Sec. 25. Intersect the line between 24 & 25
75.20 East of the post cut for the cor. of sec.
23, 24, 25, & 26 Width of the River on line 475

N 6 E. 3.50

N 19 E. 6.00 To the post on the Range line. between Sec. 24
T. N. 11. N. R. 2 W. & Sec. 19 T. N. 11. N. R. N. 1 W

N 25 E. 7.50

N 2 E. 3.50

These meanders belong in Sec. 19. T. N.
11. N. R. N. 1 W.

N 4 W. 4.00

N 9 W. 2.50

N. 34 W. 3.50

N 44 W. 0.82

Intersect the Range line between Ranges 1 & 2 W.
For width of River & length of lines see Iron
Survey.

N 55 W. 6.50

N 84 W. 4.00

S. 84 W. 5.00

S 79 W. 8.00

N 54 W. 5.00

N 31 W. 10.00

N 62 W. 4.50

N 84 W. 8.50

S. 55 W. 5.00

To the mouth of a Stream 15 miles on the Course
N W

S 29 W. 6.00

S 7 W. 4.00

S 17 E. 5.00

S 11 E. 6.50

S 28 E. 6.00

S 39 E. 8.50

S 51 E. 8.00

In Range 1 W.

Q45E.	5.00	
Q18E.	5.83	
		To the line between Sec. 24 & 25. T. N. 11. N. R. 2 W. 49.14 East of the post set for the cor. of sec. 23. 24. 25. & 26. Width of the river on the line 4.60 ch. thence
Q17 W.	7.00	
Q53 W.	4.50	
Q75 W.	4.50	
Q89 W.	4.00	
N65 W.	9.00	
N57 W.	7.50	
N48 W.	4.36	
		To the post on the line between Sec. 24 & 25 - 17.66 East of the post set for the cor. of Sec. 23. 24. 25 & 26 Width of the river on the line is 5.66 ch. thence
N30 W.	6.00	
N26 W.	7.00	
N67 W.	5.50	
N87 W.	6.62	
		To the post on the line between Sec. 23 & 24 - 14.23 North of the post set for the cor. of Sec. 23. 24. 25 & 26. Width of the river on the line 5.08 ch. thence
Q75 W.	4.00	
Q47 W.	5.00	
Q32 W.	4.00	
Q17 W.	6.50	
		To the post on the line between Sec. 23 & 26 - 10.89 West of the cor. to Sec. 23. 24. 25 & 26. Width of the River on the line between Sec. 5.54 ch. thence
Q45 W.	8.50	
N89 W.	9.00	
Q56 W.	7.50	
Q29 W.	5.00	
Q4 W.	4.50	
Q29 E.	6.00	
Q48 E.	4.50	

T. N. 11. N. R. N. 27. 2nd Mer. Ind.^a

455 E.	4.50
450 E.	5.00
439 E.	6.50
41 E.	3.50
449 N.	8.50
461 N.	9.00
464 N.	5.00
434 N.	8.50
461 N.	7.00
484 N.	4.50
469 N.	5.00
444 N.	5.00
426 N.	5.00
414 N.	4.00
425 N.	4.00
49 N.	7.50
411 E.	6.00
49 N.	4.50
428 N.	2.50

To the first on the line between Sec. 26 & 35-67.34
 West of the first set for the cor. of Sec. 25, 26, 35 & 36.
 Width of the River on the line 7.34 Ch. Nov. 30 1819

West	6.00
470 N.	4.50
456 N.	3.80

The first on the line between Sec. 34 & 35-76.30 N.
 of the first set for the cor. to Sec. 34 & 35. 2.10 N. R. 27.
 Width of the River on the line 3.90 Ch. thence

470 N.	8.50
482 N.	6.00
474 N.	5.00
471 N.	6.00
475 N.	4.50
471 N.	6.50
462 N.	22.00

439

T. N. 11. N. H. N. 2 W. 2nd Mer. (Ind. 2)

Q48 W. 10.50.

Q46 W. 10.00

Q30 W. 10.00

Q41 W. 3.50

Q34 W. 3.67 To the post on the line between Sec. 33 & 34.

35.03 ch. North of the cr. to Sec. 33 & 34—

Width of the on the line 5.32. ch. thence

N57 W. 8.50

N68 W. 6.50

N75 W. 7.00

N68 W. 13.50

N60 W. 13.00

N50 W. 10.00

N38 W. 13.50

N58 W. 7.50

N79 W. 5.78.

To the post on the line between Sec. 32 & 33—

75.30. North of the first cr. to Sec. 32 & 33.

Width of the River on the line 4.21. ch. thence

N80 W. 5.00

S51 W. 6.00

Q30 W. 5.00

South 9.50

Q16 E. 4.50

Q3 E. 3.00

Q25 E. 4.00

Q31 E. 4.00

Q5 W. 3.00

Q43 W. 2.00

Q76 W. 3.00

N72 W. 5.00

N33 W. 5.00

N8 W. 9.00

N5 E. 9.00

T. N. 11. N. R. N. 27. 2nd Mer. (Ind.;

N 13 W	3.50	
N 21 W	4.50	To the first on the line between Sec. 29, 32
		24-10 West of the first set for the cor. of Sec. 28, 29
		32, 33. North of the river on the line 4.95 ch.
N 38 W	4.00	
S 74 W	6.00	
S 80 W	6.50	
N 39 W	4.80	To the first on the line between Sec. 29, 32 - 40 62
		West of the first set for the cor. to Sec. 28, 29, 32, 33
		North of the river on the line 6.62 ch. Thence
S 34 W	4.00	To a Brook 35 miles more; Corner S.E.
S 24 W	5.00	
S 4 W	11.50	Surveyed by Tho. Brown
S 13 W	4.50	
S 22 W	2.80	To the first on the N.E. Corner of Harrison's
		Purchase cor. of tract Sec. 32,
		Dec. 1 st 1819.
		Commenced at the Township line between Towns 10 & 11 N.
		R. 2 W on the Right Bank of White River
N 41 W	5.18	
N 30 W	6.27	
N 24 W	8.89	
N 14 W	5.36	
N 3 W	6.29	
N 10 W	9.44	
N 4 W	1.98	
N 3 E	6.61	
N 26 E	6.09	To the N.E. Boundary of Harrison's Purchase
		Surveyed by William Harris & Co.

441

T. N. H. N. H. N. D. W. 2nd Mer. Ind.^a

Meadows of White River. Left Bank. Commencing
in the South Boundary of Sec. 32. T. N. H. N. H. N. D. W.
thence up stream

I think the River was measured only
on one side up to the line On the NW 1/4 of Harrison's
Purchase (Iron Creek)

Commenced on the N. E. Boundary of Harrison's Pur-
chase Sec. 32 thence up stream on the Left Bank.

N. 14 E. 15.00

N 4 E. 9.00

In Sec. 32.

N 27 E. 7.00

N 70 E. 2.54

To the first on the line between Sec. 29. & 32. - 34.00
West of the cor. to Sec. 29. 30. 31. & 32. thence

East 4.50.

S 52 E. 3.50

South 7.00

S 11 W. 7.00

S 2 W. 9.00

S 11 E. 9.00

S 25 E. 9.50

S 54 E. 6.50

N 80 E. 7.30

N 38 E. 6.50

T. N^o 11. N.R. N^o 2 W. 2nd Mer. (Ind. 9)

N 14 E.	7.50	
N 17 W	15.50	
N 4 W	6.00	
N 50 E.	4.00	
N 70 E.	3.70	To the post on the line between Sec ^s 32 & 33. - 70.09 North of the post set for the cor. of sec. 32 & 33
S 43 E.	4.50	
S 36 E.	7.00	
S 49 E.	8.00	
S 55 E.	12.00	
S 47 E.	8.00	
S 61 E.	13.50	High Bluff and good stone quarry
S 77 E.	1.50	
S 84 E.	5.00	
S 69 E.	5.50	
S 66 E.	11.00	
S 50 E.	3.30	To the post on the line between Sec ^s 33 & 34 - 29.70 North of the post set for the cor. of sec. 33 & 34
East	0.75	To a Brook 10 miles wide: Corner N.R.
N 31 E.	2.50	
N 74 E.	5.00	
N 30 E.	4.50	
N 19 E.	9.00	
N 48 E.	7.00	
N 77 E.	12.00	
N 66 E.	4.00	
N 59 E.	6.50	
N 70 E.	11.00	
N 81 E.	7.00	
N 87 E.	7.00	
N 67 E.	5.50	
N 58 E.	9.00	
N 54 E.	3.50	To the post on the line between Sec ^s 34 & 35

T. N. 11. N. R. N. 2 W. 2nd Mer. Ind.

72.90 ch. N of the Post cor to Sect. 34 & 35

N72 E.	6.00
N79 E.	4.00
N72 E.	3.00
N89 E.	6.50
N51 E.	2.50
N20 E.	2.08

To a Brook 15 miles wide, from S.E.

To the post on the line between Sect. 26 & 35-61.00
West of the cor. to Sect. 25, 26, 35 & 36. Nov. 2. 1819

N17 E.	5.00
N8 W.	12.00
N17 E.	9.00
N32 E.	5.00
N18 E.	6.50
S68 E.	3.50
S21 E.	7.50
S54 E.	7.00
N88 E.	6.50
N60 E.	6.00
N43 E.	4.00
N64 E.	7.50
N35 E.	2.50
N28 E.	10.00
N13 W.	2.50
N39 W.	3.50
N59 W.	15.00
N42 W.	4.00
N25 W.	5.00
N15 E.	4.50
N72 E.	2.00
S87 E.	7.00
N64 E.	7.00
N40 E.	8.00

To the post on the line between Sect 23 & 26.

N15 W.	4.31
--------	------

		5.35 West of the Sec. cor. 23, 24, 25 & 26.—
N 28 E.	6.00	
N 39 E.	5.00	To the post on the line between Sec. 23 & 24—9.15 North of the cor. to Sec. 23, 24, 25 & 26.
N 84 E.	4.50	
N 60 E.	3.50	
N 32 E.	8.00	To the post on the line between Sec. 24 & 25—12.00 East of the cor. to Sec. 23, 24, 25 & 26. Thence
N 39 E.	6.00	
N 48 E.	6.50	
N 60 E.	5.00	
N 64 E.	9.00	
N 79 E.	8.00	
N 71 E.	8.00	
N 42 E.	6.00	
N 19 E.	6.50	
N 27 N.	3.95	To the post on the line between Sec. 24 & 25 53.74 East of the cor. to Sec. 23, 24, 25 & 26. Thence
N 27 N.	3.00	
N 23 N.	6.00	
N 45 N.	18.50	
N 29 N.	4.50	
N 23 N.	7.50	
N 8 N.	5.00	
N 25 E.	5.00	
N 61 E.	4.00	
N 63 E.	3.50	
N 38 E.	8.50	
N 51 E.	5.50	
N 67 E.	8.50	
N 88 E.	10.50	
N 58 E.	5.00	
N 20 E.	4.50	

T. N. 11. N. R. N. 2 W. 2nd Mer. Ind.^e

S 7 W.	4.00	
S 19 W.	3.50	
S 24 W.	5.00	
S 28 W.	4.50	
S 10 W.	3.50	
South	1.00	To the post on the line between Sec. 24, 25, 70, 54 East of the post set for the cor. of sec. 23, 24, 25, 70, 54
S 15 E.	7.50	
S 53 E.	5.00	
S 69 E.	1.65	To the post on the Range line between Ranges. 1, 2, 7, cor. of sec. 25, 30. Aug 3 rd 1819.

Surveyed by
Thomas Brown L.S.

I certify that the foregoing transcript of the
Field notes of Township N. 11. North of Range
N. 2 West of the 2nd Principal Meridian in In-
diana, has been compared with the Original notes
in this Office, and is found to be correct.

Surveyor General's Office

Cincinnati, Nov. 30th 1840

E. S. Raine

Sur. Genl.